

PCCO

PRESS CONNECTING COMPONENTS

COPPER M



THE WORLD OF
PRESS CONNECTING COMPONENTS



PCCO UK



Press Fittings – Product Overview

System	Picture	Press Profile	Dimensions	Material
PRESS STEEL M		M	12 – 108mm	Carbon Steel
PRESS INOX M 316L		M	15 – 168.3mm	Stainless Steel 316L
PRESS INOX M 304		M	15 – 108mm	Stainless Steel 304
PRESS COPPER M		M	15 – 108mm	Copper + Brass
PRESS COPPER AQUAGAS M		M	15 – 54mm	Copper + Brass
PRESS STEEL HD		HD	1/2" – 2"	Carbon Steel
PRESS UNIPRESS		TH	16 – 32mm	Brass + Stainless Sleeve

Press Fittings – Application

System	W WATER	H HEATING	G GAS	A COMPRESSED AIR	S SOLAR	F FIREFIGHTING SYSTEMS	C COOLING	H2 READY	I INDUSTRY
PRESS STEEL M	X	✓	X	✓ [1]	X	✓	✓	X	on request
PRESS INOX M 316L	✓	✓	on request	✓ [1]	✓ [1]	✓	✓	X	on request
PRESS INOX M 304	✓ [2]	✓	X	✓ [1]	✓ [1]	X	✓	X	on request
PRESS COPPER M	✓	✓	on request	on request	✓ [1]	X	✓	X	on request
PRESS COPPER AQUAGAS M	✓	✓	✓	on request	✓ [1]	X	✓	✓	on request
PRESS STEEL HD	X	✓	X	X	X	✓	✓	X	on request
PRESS UNIPRESS	✓	✓	X	on request	X	X	X	X	on request

✓ [1] = with FKM (Viton) O-ring only

X = not suitable

✓ [2] = Industrial applications ON REQUEST

Press Fittings and Pipe Guide

PCC PRESS COPPER M





Straight Coupling	MPN	Press Profile	Box Quantity (pieces)
15 x 15	680001515	M	150
18 x 18	680001818	M	120
22 x 22	680002222	M	80
28 x 28	680002828	M	50
35 x 35	680003535	M	24
42 x 42	680004242	M	20
54 x 54	680005454	M	12
66.7 x 66.7	680006666	M	12
76.1 x 76.1	680007676	M	12
108 x 108	6800108108	M	4





Slip (Repair) Coupling	MPN	Press Profile	Box Quantity (pieces)
15 x 15	680401515	M	100
18 x 18	680401818	M	60
22 x 22	680402222	M	50
28 x 28	680402828	M	30
35 x 35	680403535	M	20
42 x 42	680404242	M	12
54 x 54	680405454	M	8
66.7 x 66.7	680406666	M	8
76.1 x 76.1	680407676	M	8
108 x 108	6804108108	M	8






End Cap	MPN	Press Profile	Box Quantity (pieces)
15	6841015	M	60
18	6841018	M	50
22	6841022	M	50
28	6841028	M	40
35	6841035	M	24
42	6841042	M	24
54	6841054	M	24
66.7	6841066	M	24




Reducing Coupling	MPN	Press Profile	Box Quantity (pieces)
22 x 15	680302215	M	100
28 x 22	680302822	M	50

		Straight Male Adaptor	MPN	Press Profile	Box Quantity (pieces)
 Brass		15 x 1/2"	6801015012	M	150
		15 x 3/4"	6801015034	M	100
		18 x 3/4"	6801018034	M	100
		22 x 1/2"	6801022012	M	100
		22 x 3/4"	6801022034	M	80
		22 x 1"	6801022100	M	50
		28 x 3/4"	6801028034	M	50
		28 x 1"	6801028100	M	50
 Copper		35 x 1 1/4"	6801035114	M	24
		42 x 1 1/2"	6801042112	M	20
		54 x 2"	6801054200	M	10
		66.7 x 2 1/2"	6801066212	M	10
		76.1 x 2 1/2"	6801076212	M	5
		76.1 x 3"	6801076300	M	5

		Straight Female Adaptor	MPN	Press Profile	Box Quantity (pieces)
 Brass		15 x 1/2"	6802015012	M	120
		15 x 3/4"	6802015034	M	80
		18 x 3/4"	6802018034	M	80
		22 x 1/2"	6802022012	M	100
		22 x 3/4"	6802022034	M	80
		22 x 1"	6802022100	M	50
		28 x 3/4"	6802028034	M	50
		28 x 1"	6802028100	M	50
 Copper		35 x 1 1/4"	6802035114	M	24
		42 x 1 1/2"	6802042112	M	20
		54 x 2"	6802054200	M	10

		90° Male Elbow	MPN	Press Profile	Box Quantity (pieces)
		15 x 1/2"	6825015012	M	80
		18 x 1/2"	6825018012	M	60
		22 x 3/4"	6825022034	M	40
		28 x 1"	6825028100	M	24

		90° Female Elbow	MPN	Press Profile	Box Quantity (pieces)
		15 x 1/2"	6826015012	M	80
		18 x 1/2"	6826018012	M	60
		22 x 3/4"	6826022034	M	40
		28 x 1"	6826028100	M	24



90° Elbow (F x F)	MPN	Press Profile	Box Quantity (pieces)
15 x 15	682001515	M	120
18 x 18	682001818	M	80
22 x 22	682002222	M	50
28 x 28	682002828	M	30
35 x 35	682003535	M	12
42 x 42	682004242	M	8
54 x 54	682005454	M	6
66.7 x 66.7	682006666	M	6
76.1 x 76.1	682007676	M	6
108 x 108	6820108108	M	1



90° Street Elbow (M x F)	MPN	Press Profile	Box Quantity (pieces)
15 x 15	682101515	M	120
18 x 18	682101818	M	80
22 x 22	682102222	M	50
28 x 28	682102828	M	30
35 x 35	682103535	M	12
42 x 42	682104242	M	8
54 x 54	682105454	M	6
66.7 x 66.7	682106666	M	6
76.1 x 76.1	682107676	M	6
108 x 108	6821108108	M	1



45° Elbow (F x F)	MPN	Press Profile	Box Quantity (pieces)
15 x 15	682301515	M	120
18 x 18	682301818	M	100
22 x 22	682302222	M	60
28 x 28	682302828	M	30
35 x 35	682303535	M	20
42 x 42	682304242	M	12
54 x 54	682305454	M	6
66.7 x 66.7	682306666	M	6
76.1 x 76.1	682307676	M	6
108 x 108	6823108108	M	2



45° Street Elbow (M x F)	MPN	Press Profile	Box Quantity (pieces)
15 x 15	682401515	M	120
18 x 18	682401818	M	100
22 x 22	682402222	M	60
28 x 28	682402828	M	30
35 x 35	682403535	M	20
42 x 42	682404242	M	12
54 x 54	682405454	M	6
66.7 x 66.7	682406666	M	6
76.1 x 76.1	682407676	M	6
108 x 108	6824108108	M	2



Socket Reducer	MPN	Press Profile	Box Quantity (pieces)
18 x 15	684301815	M	120
22 x 15	684302215	M	120
22 x 18	684302218	M	100
28 x 15	684302815	M	80
28 x 18	684302818	M	80
28 x 22	684302822	M	60
35 x 22	684303522	M	40
35 x 28	684303528	M	36
42 x 22	684304222	M	24
42 x 28	684304228	M	24
42 x 35	684304235	M	24
54 x 35	684305435	M	12
54 x 42	684305442	M	12
66.7 x 28	684306628	M	12
66.7 x 35	684306635	M	12
66.7 x 42	684306642	M	12
66.7 x 54	684306654	M	12
76.1 x 35	684307635	M	12
76.1 x 42	684307642	M	12
76.1 x 54	684307654	M	12
76.1 x 66.7	684307667	M	12
108 x 54	684310854	M	4
108 x 66.7	684310866	M	4
108 x 76.1	684310876	M	4



Equal Tee	MPN	Press Profile	Box Quantity (pieces)
15 x 15 x 15	68100151515	M	80
18 x 18 x 18	68100181818	M	60
22 x 22 x 22	68100222222	M	40
28 x 28 x 28	68100282828	M	24
35 x 35 x 35	68100353535	M	12
42 x 42 x 42	68100424242	M	8
54 x 54 x 54	68100545454	M	4
66.7 x 66.7 x 66.7	68100666666	M	4
76.1 x 76.1 x 76.1	68100767676	M	4
108 x 108 x 108	6810108108108	M	1



Branch Reducing Tee	MPN	Press Profile	Box Quantity (pieces)
18 x 15 x 18	68110181518	M	60
22 x 15 x 22	68110221522	M	40
22 x 18 x 22	68110221822	M	40
28 x 15 x 28	68110281528	M	30
28 x 18 x 28	68110281828	M	30
28 x 22 x 28	68110282228	M	30
35 x 15 x 35	68110351535	M	50
35 x 22 x 35	68110352235	M	16
35 x 28 x 35	68110352835	M	16
42 x 15 x 42	68110421542	M	12
42 x 22 x 42	68110422242	M	12
42 x 28 x 42	68110422842	M	12
42 x 35 x 42	68110423542	M	10
54 x 22 x 54	68110542254	M	6
54 x 28 x 54	68110542854	M	6
54 x 35 x 54	68110543554	M	6
54 x 42 x 54	68110544254	M	6
66.7 x 28 x 66.7	68110662866	M	6
66.7 x 35 x 66.7	68110663566	M	6
66.7 x 42 x 66.7	68110664266	M	6
66.7 x 54 x 66.7	68110665466	M	6
76.1 x 22 x 76.1	68110762276	M	6
76.1 x 28 x 76.1	68110762876	M	6
76.1 x 35 x 76.1	68110763576	M	6
76.1 x 42 x 76.1	68110764276	M	6
76.1 x 54 x 76.1	68110765476	M	6
76.1 x 66.7 x 76.1	68110766676	M	6
108 x 54 x 108	681110854108	M	2
108 x 66.7 x 108	681110866108	M	2
108 x 76.1 x 108	681110876108	M	2



Reducing Tee	MPN	Press Profile	Box Quantity (pieces)
22 x 15 x 15 (Branch & End Reducing)	68115221515	M	40
22 x 22 x 15 (End Reducing)	68115222215	M	40
28 x 22 x 22 (Branch & End Reducing)	68115282222	M	20
28 x 28 x 22 (End Reducing)	68115282822	M	20



Female Tee	MPN	Press Profile	Box Quantity (pieces)
15 x 1/2" x 15	68120151215	M	60
18 x 1/2" x 18	68120181218	M	60
22 x 1/2" x 22	68120221222	M	40
22 x 3/4" x 22	68120223422	M	30
28 x 1/2" x 28	68120281228	M	30
28 x 3/4" x 28	68120283428	M	20
35 x 1/2" x 35	68120351235	M	16
42 x 1/2" x 42	68120421242	M	10
54 x 1/2" x 54	68120541254	M	6



Straight Male Union	MPN	Press Profile	Box Quantity (pieces)
15 x 1/2"	6808015012	M	100
22 x 3/4"	6808022034	M	50
28 x 1"	6808028100	M	24
35 x 1 1/4"	6808035114	M	12
42 x 1 1/2"	6808042112	M	4
54 x 2"	6808054200	M	2



Straight Female Union	MPN	Press Profile	Box Quantity (pieces)
15 x 1/2"	6809015012	M	100
22 x 3/4"	6809022034	M	50
28 x 1"	6809028100	M	24
35 x 1 1/4"	6809035114	M	12
42 x 1 1/2"	6809042112	M	4
54 x 2"	6809054200	M	2



PN16 Bimetal Flange	MPN	Press Profile	Box Quantity (pieces)
54 x DN50	6840054	M	1
66.7 x DN65	6840066	M	1
76.1 x DN80	6840076	M	1
108 x DN100	6840108	M	1



Female Wallplate 90° Elbow	MPN	Press Profile	Box Quantity (pieces)
15 x 1/2"	6834015012	M	50



Straight Female Insert Adaptor	MPN	Press Profile	Box Quantity (pieces)
15 x 1/2"	6846015012	M	10
22 x 3/4"	6846022034	M	10

Specification

Materials:

- Formed components (**fittings**) material no.: CW024A according to EN 1254
- Casting components (**threaded fittings**) material no.: CC499K according to EN 1282

Guarantee:

Provided your PRESS COPPER M fittings have been installed correctly and as per the installation guidelines set out by PCC, you can enjoy 30 years of trouble free service and operation from your new system. If you would like further information on training and installation techniques, or guarantee details, please contact us.

Applications:

- Drinking Water (fully WRAS approved);
- Purified Water;
- Heating;
- Cooling Water (chilled water);
- Boosted Cold Water;
- Plant Rooms;
- Flammable Gases, classed and according to DVGW G 260 (**HNBR** Gas Approved Yellow Seals);
- Compressed Air, Argon, Nitrogen, Carbon Dioxide.

Pressure and temperature ratings:

When used alongside fittings with **EPDM** seals for applications other than Compressed Air:

- 15-108mm: (PN16) 16 bar -30°C to +120°C

When used alongside fittings with **HNBR** seals for applications involving Flammable Gases:

- 15-108mm: (PN16) 5 bar -20°C to +70°C

When used alongside fittings with **EPDM** seals for Compressed Air:

- 15-108mm: (PN16) 16 bar -30°C to +120°C

When used alongside fittings with **FKM** seals for industrial applications (please contact us for more details):

- 15-108mm: (PN16) 16 bar -30°C to +180°C

Press tools:

All PRESS COPPER M fittings follow the popular 'M' Profile and, therefore, are pressable with all suitable and system-compatible 'M' Profile pressing tools. Please see manufacturers' website for details on pressing tools.



PCC UK
Maclean House
New Works Road
Low Moor
Bradford
West Yorkshire
BD12 0LZ

Tel.: +44 (0) 1274 015 057

sales@pcc-uk.com
www.pcc-uk.co.uk

Errors and omissions accepted (E&OE)